

EAST Search History

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
S1	456	(712/228).CCLS.	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	OFF	2004/08/09 08:20
S2	318	(712/228).CCLS.	USPAT; USOCR; EPO; JPO; IBM_TDB	OR	OFF	2004/01/12 09:54
S3	2	((712/228).CCLS.) and (map\$3 near4 (cache and memory))	USPAT; EPO; JPO; IBM_TDB	OR	OFF	2003/05/30 15:43
S4	8	((712/228).CCLS.) and (map\$3 with (cache and memory))	USPAT; EPO; JPO; IBM_TDB	OR	OFF	2003/05/30 15:47
S5	179	((712/228).CCLS.) and cache	USPAT; EPO; JPO; IBM_TDB	OR	OFF	2003/05/30 15:48
S6	112	((712/228).CCLS.) and (data adj1 cache)	USPAT; EPO; JPO; IBM_TDB	OR	OFF	2003/05/30 15:48
S7	29	((712/228).CCLS.) and ((context adj1 switch\$3) and (data adj1 cache))	USPAT; EPO; JPO; IBM_TDB	OR	OFF	2003/05/30 15:49
S8	2	(("5727211") or ("5806522")).PN.	USPAT; USOCR; EPO; JPO; IBM_TDB	OR	OFF	2003/06/02 08:49
S9	1	("5809522").PN.	USPAT; USOCR; EPO; JPO; IBM_TDB	OR	OFF	2003/06/02 08:50
S10	548	(712/228).CCLS.	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	OFF	2005/09/15 14:23
S11	16	cach\$3 near4 (line\$1 or record\$4 or entr\$3) near4 ((least adj1 recently adj1 used adj1 bit\$1) or (used adj1 bit\$1))	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	OFF	2005/09/15 14:31
S12	0	((context or process\$3) adj1 (switch\$3 or chang\$3)) near4 cach\$3 near4 (recent\$3 adj4 us\$3 adj4 bit\$1)	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	OFF	2005/09/15 15:59

EAST Search History

S13	0	((context or process\$3) adj1 (switch\$3 or chang\$3)) with cach\$3 with (recent\$3 adj4 us\$3 adj4 bit\$1)	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	OFF	2005/09/15 16:00
S14	0	((context or process\$3) adj1 (switch\$3 or chang\$3)) same cach\$3 same (recent\$3 adj4 us\$3 adj4 bit\$1)	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	OFF	2005/09/15 16:00
S15	11	((context or process\$3) adj1 (switch\$3 or chang\$3)) same cach\$3 and (recent\$3 adj4 us\$3 adj4 bit\$1)	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	OFF	2005/09/15 16:21
S16	11	((context or process\$3) near4 (switch\$3)) same cach\$3 and (recent\$3 adj4 us\$3 adj4 bit\$1)	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	OFF	2005/09/15 16:23
S17	19	((context or process\$3) with (switch\$3)) same cach\$3 and (recent\$3 adj4 us\$3 adj4 bit\$1)	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	OFF	2005/09/16 11:33
S18	314	(often or frequenc\$3 or count\$3) with (cache near4 (line\$1 or entr\$3 or record\$4) near4 (access\$3 or read\$4 or look\$3))	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	OFF	2005/09/16 10:24
S19	194	(often or frequenc\$3 or count\$3) near4 (cache near4 (line\$1 or entr\$3 or record\$4) near4 (access\$3 or read\$4 or look\$3))	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	OFF	2005/09/16 10:24
S20	130	(often or frequenc\$3 or count\$3) near4 (cache near4 (line\$1 or entr\$3 or record\$4) near4 access\$3)	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	OFF	2005/09/16 10:24
S21	22	often near4 (cache near4 (line\$1 or entr\$3 or record\$4) near4 access\$3)	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	OFF	2005/09/16 11:26
S22	34	frequency near4 (cache near4 (line\$1 or entr\$3 or record\$4) near4 access\$3)	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	OFF	2005/09/16 11:26
S23	2	((context or process\$3) with (switch\$3)) near4 cach\$3 near4 restor\$3	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	OFF	2005/09/16 11:34
S24	6	((context or process\$3) with (switch\$3)) with (cach\$3 near4 restor\$3)	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	OFF	2005/09/16 11:36

EAST Search History

S25	44	((context or process\$3) with (switch\$3)) same (cach\$3 near4 restor\$3)	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	OFF	2005/09/16 11:41
S26	581	(712/228).CCLS.	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	OFF	2006/01/24 15:58
S27	0	((context adj1 switch\$3) or (\$6thread\$3 adj1 switch\$3)) and (cach\$3 near4 (load\$3 or restor\$3) near4 (us\$3 near4 (signal\$1 or flag\$3 or indicat\$3)))	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	OFF	2006/01/24 16:01
S28	0	((context adj1 switch\$3) or (\$6thread\$3 adj1 switch\$3)) and (cach\$3 near4 (\$3load\$3 or restor\$3) near4 (us\$3 near4 (signal\$1 or flag\$3 or indicat\$3)))	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	OFF	2006/01/24 16:01
S29	5	((context adj1 switch\$3) or (\$6thread\$3 adj1 switch\$3)) with (cach\$3 near4 (recover\$4 or \$1re?load\$3 or \$1re?fetch\$3 or \$1re?read\$3))	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	OFF	2006/01/26 12:10
S30	122	((context adj1 switch\$3) or (\$6thread\$3 adj1 switch\$3)) with (cach\$3 near4 (recover\$4 or \$4load\$3 or \$4fetch\$3 or \$4read\$3))	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	OFF	2006/01/30 16:33
S31	32	((context adj1 switch\$3) or (\$6thread\$3 adj1 switch\$3)) with (cach\$3 near4 (recover\$4 or \$4load\$3 or \$4fetch\$3 or \$4read\$3) with (memor\$3))	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	OFF	2006/01/26 12:12
S32	0	((context adj1 switch\$3) or (\$5thread\$3 adj1 switch\$3)) near4 register\$1 near4 (\$4load\$3 or \$4fetch\$3 or \$4read\$3 or restor\$3 or recover\$3) near4 (us\$5 near4 (flag\$5 or indicat\$4 or signal\$4 or tag\$4))	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	OFF	2006/01/26 12:23
S33	1	((context adj1 switch\$3) or (\$5thread\$3 adj1 switch\$3)) with register\$1 with (\$4load\$3 or \$4fetch\$3 or \$4read\$3 or restor\$3 or recover\$3) near4 (us\$5 near4 (flag\$5 or indicat\$4 or signal\$4 or tag\$4))	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	OFF	2006/01/26 12:25

EAST Search History

S34	23	((context adj1 switch\$3) or (\$5thread\$3 adj1 switch\$3)) with register\$1 with (\$4load\$3 or \$4fetch\$3 or \$4read\$3 or restor\$3 or recover\$3) with (us\$5 near4 (flag\$5 or indicat\$4 or signal\$4 or tag\$4))	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	OFF	2006/01/26 12:28
S35	0	((context adj1 switch\$3) or (\$5thread\$3 adj1 switch\$3)) with (lazy near4 state near4 sav\$3 near4 register\$1)	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	OFF	2006/01/26 12:28
S36	0	((context adj1 switch\$3) or (\$5thread\$3 adj1 switch\$3)) same (lazy near4 state near4 sav\$3 near4 register\$1)	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	OFF	2006/01/26 12:28
S37	0	(lazy near4 state near4 sav\$3 near4 register\$1)	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	OFF	2006/01/26 12:28
S38	25	((context adj1 switch\$3) or (\$5thread\$3 adj1 switch\$3)) same ((part\$7 or portion\$1) near4 sav\$3 near4 register\$1)	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	OFF	2006/01/26 12:29
S39	77	((context adj1 switch\$3) or (\$5thread\$3 adj1 switch\$3)) same ((dirty or us\$3) near4 (flag\$5 or tag\$5 or signal\$1 or bit\$1 or indicat\$3) near4 register\$1)	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	OFF	2006/01/26 12:33
S40	77	((context adj1 switch\$3) or (\$5thread\$3 adj1 switch\$3)) same ((dirty or us\$3) near4 (flag\$5 or tag\$5 or signal\$1 or bit\$1 or indicat\$4) near4 register\$1)	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	OFF	2006/01/26 12:37
S41	40	((context adj1 switch\$3) or (\$5thread\$3 adj1 switch\$3)) same (((dirty or us\$3) adj2 (flag\$5 or tag\$5 or signal\$1 or bit\$1 or indicat\$4)) near4 register\$1)	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	OFF	2006/01/26 12:37
S42	66	((context adj1 switch\$3) or (\$6thread\$3 adj1 switch\$3)) near4 (cach\$3 near4 (recover\$4 or \$4load\$3 or \$4fetch\$3 or \$4read\$3))	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	OFF	2006/01/30 16:42
S43	616	(712/228).CCLS.	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	OFF	2006/08/16 13:16

EAST Search History

S44	5	((context adj1 switch\$3) or (\$6thread\$3 adj1 switch\$3)) with (cach\$3 near4 (recover\$4 or \$1re?load\$3 or \$1re?fetch\$3 or \$1re?read\$3))	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	OFF	2006/08/16 14:20
S45	37	((context adj1 switch\$3) or (\$6thread\$3 adj1 switch\$3)) with (cach\$3 near4 (recover\$4 or \$4load\$3 or \$4fetch\$3 or \$4read\$3) with (memor\$3))	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	OFF	2006/08/16 15:19
S46	23	((context adj1 switch\$3) or (\$5thread\$3 adj1 switch\$3)) with register\$1 with (\$4load\$3 or \$4fetch\$3 or \$4read\$3 or restor\$3 or recover\$3) with (us\$5 near4 (flag\$5 or indicat\$4 or signal\$4 or tag\$4))	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	OFF	2006/08/16 15:19
S47	29	((context adj1 switch\$3) or (\$5thread\$3 adj1 switch\$3)) same ((part\$7 or portion\$1) near4 sav\$3 near4 register\$1)	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	OFF	2006/08/16 15:30
S48	78	((context adj1 switch\$3) or (\$5thread\$3 adj1 switch\$3)) same ((dirty or us\$3) near4 (flag\$5 or tag\$5 or signal\$1 or bit\$1 or indicat\$3) near4 register\$1)	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	OFF	2006/08/16 15:30
S49	41	((context adj1 switch\$3) or (\$5thread\$3 adj1 switch\$3)) same (((dirty or us\$3) adj2 (flag\$5 or tag\$5 or signal\$1 or bit\$1 or indicat\$4)) near4 register\$1)	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	OFF	2006/08/16 15:30
S50	78	((context adj1 switch\$3) or (\$5thread\$3 adj1 switch\$3)) same ((dirty or us\$3) near4 (flag\$5 or tag\$5 or signal\$1 or bit\$1 or indicat\$4) near4 register\$1)	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	OFF	2006/08/16 15:30
S51	73	((context adj1 switch\$3) or (\$6thread\$3 adj1 switch\$3)) near4 (cach\$3 near4 (recover\$4 or \$4load\$3 or \$4fetch\$3 or \$4read\$3))	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	OFF	2006/08/16 15:30
S52	0	((context adj1 switch\$3) near4 map\$4 near4 cach\$3 near4 \$3load\$3).clm.	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	OFF	2006/08/16 15:43
S53	0	((context adj1 switch\$3) with map\$4 with cach\$3 with \$3load\$3).clm.	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	OFF	2006/08/16 15:43

EAST Search History

S54	0	((context with switch\$3) with map\$4 with cach\$3 with \$3load\$3).clm.	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	OFF	2006/08/16 15:43
S55	2	(switch\$3 with map\$4 with cach\$3 with \$3load\$3).clm.	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	OFF	2006/08/16 16:10
S56	3	(switch\$3 same map\$4 same cach\$3 same \$3load\$3).clm.	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	OFF	2006/08/16 16:10